



Solid Propellant Gas Generator Workshop  
National Institute of Standards and Technology  
June 1995



# Fire Extinguishing Pyrotechnics

Jim Hoover, Russ Reed

Combustion/Detonation Research Section

Vicki Brady, John Hitner

Airframe, Ordnance and Propulsion Division


Leo Budd, Mike Gray, Marty Krammer, Hardy Tyson

Weapons Survivability Laboratory

Naval Air Warfare Center Weapons Division  
China Lake

Unclassified

IN: Yang, J.C., et al., Editors, Solid Propellant Gas Generators:  
Proceedings of the 1995 Workshop, NISTIR 5766, June 28-29, 1995,  
75-88 pp, 1995



# Goal and Objective



## ◆ Goal from the Next Generation Plan (NGP):

" The program goal is to develop and demonstrate, by 2004, environmentally-friendly, user-safe processes, techniques and fluids that meet the operational requirements currently satisfied by halon 1301 systems in aircraft, ships, land combat vehicles, and critical command and control facilities."

## ◆ Objective for China Lake Gas Generator Efforts:


Develop and demonstrate active, chemical and chemical precursor flame suppressing gas generators (FSGG) that comply with the NGP goal.



# Fire Science & Technology Panel FY95 Participants



|  |         |
|--|---------|
| Joe Benavides, NAWCWPNS Albuquerque                    | A28N103 |
| Prof. Matt Kelleher, Naval Postgraduate School         | Me/KK   |
| Leo Budd and Hardy Tyson                               | 418300D |
| Wayne Doucette and Gill Cornell                        | 473A00D |
| Dr. Warren Jaul, Brenda Allen and Rodney Harris        | 473110D |
| Vicki Brady  | 473410D |
| Dr. Kelvin Higa, Dr. Rich Hollins and Dr. Curt Johnson | 474220D |
| Thom Boggs   | 474300D |
| Dr. Jim Hoover and Dr. Russ Reed                       | 474310D |
| Les Bowman and Dr. M.J. Lee                            | 474320D |
| Dr. Jo Covino, Dr. Ilzoo Lee and Ross Heimdahl         | 474330D |
| Jay McClellan  | 528400D |
| Ross Davidson, Dick Rivers and Wil Simoneau            | 824220D |



## Fire Science & Technology Panel FY95 Accomplishments



- ◆ Coordinated local review of DDR&E proposal drafts "Next Generation Fire Suppression Technology" (\$48M/8 years)
- ◆ Conducted China Lake Fire S&T Workshop and established working group to promote Fire S&T work within NAWCWPNS
- ◆ Sponsored Fire S&T marketing brochure and electronic media describing China Lake RDT&E capabilities and expertise
- ◆ Conducted Navy-wide Fire S&T Workshop (14 & 15 Mar 95 at NASNI) attended by NAVAIR, NAVSEA, ONR, NRL, NAWCAD (Lakehurst and Warminster), NAWCWPNS, NPG and Federal Fire Dept.
- ◆ Obtained NAVSEA sponsorship for Shipboard Magazine Fire Protection Program (\$2.5M over 5 years) and JTCG sponsorship for Pyrotechnic Fire Extinguisher R&D.
- ◆ Developed networked teams (Industrial/Academic/Gov't labs) for pursuing major outside sponsorship (i.e., SERDP) and in-house discretionary projects
- ◆ Participated in international Fire S&T meeting and NIST Workshop





# Gas Generator Formulation Work History at China Lake



## 1979 High Nitrogen Binder (GAP) Work (Funded by ARC)

Goal: No Ammonium Nitrate (AN)

Significance: High nitrogen binders attractive for gas generators

## 1980s High Nitrogen Binder Work (Funded by ONR/ONT)

Collaboration with Thiokol (Dr. Manser), later with Aerojet

Goal: Alternative high nitrogen compounds - no AN

Approach: demonstrate azidooxetanes as good as PEG E-4500 (Dow), tetrazoles and GAP

## 1979-1982 NAVAIR Gas Generator Technology

Amoco MK-6 (N-28 comp.), AN/PE binder, 2000-2200°F, 0.06"/s

Goal: 1500°F, 1"/s, noncorrosive, no particulates

Approach: High nitrogen compounds yield less H<sub>2</sub>O, CO, CO<sub>2</sub>; new deflagration mechanism for azides and tetrazoles, driving force is high  $\Delta H_f$



# Gas Generator Formulation Work History at China Lake



---

## 1983-1985 NAVSEA Submarine Deballasting Gas Generators

Goal: High  $N_2$  (inert), noncondensable gases, tailorable sustained higher burn rate than AN ( $>0.5''/s$ )

Approach: High nitrogen compounds with high nitrogen binders

∞ (i.e., hydroxyethyltetrazoles)

## 1987 Patent on Pyrotechnic Fire Extinguisher (PFE) Compositions

## 1992 Flame Suppressing Gas Generator (FSGG)



# Gas Generator Comparison




181

|              | FSGG          | Double Base               | Am. Nit.                | Olin                  |
|--------------|---------------|---------------------------|-------------------------|-----------------------|
| Composition  | azides/prec.  | NC/plast.                 | AN/rubber               | propr.                |
| Products     | $>N_2$ /chem. | $N_2/CO/CO_2$<br>$H_2O/C$ | $N_2/CO/CO_2$<br>$H_2O$ | $N_2 \dots$<br>(~50%) |
| Rel. Temp.   | cool          | hot                       | hot                     | hot                   |
| Deflagration | flameless     | flame                     | flame                   | flame                 |
| Rel. Rate    | fast          | slow                      | slow                    | fast                  |
| Gas Quality  | clean         | dirty (C)                 | clean                   | filtered              |
| Application  |               | starter                   | SM/APU                  | Air Bags              |



# FSGG-02 Propellant Concept and Calculated Burn Rate



## Initial Concept

1.5 Lb<sub>m</sub> propellant

Density:  
0.0542 Lb<sub>m</sub>/in.<sup>3</sup>

CStar: 4000 ft./s

Burning Rate:  
0.50 in./s @ 1000 psia

Slope: 0.50





# Gas Generator T&E History at China Lake



## Weapons Survivability Laboratory Facilities

Test Equipment / Instrumentation / Ballistic Threats


Test Sites / Fabrication Capabilities

### High Velocity Airflow System (HIVAS)

<sup>8</sup>  
Airflow Source:  
Bypass airflow ducted  
from 4 TF-33 P11 engines

Velocity Ranges:  
160-550 knots over 18 ft.<sup>2</sup>  
100-300 knots over 35 ft.<sup>2</sup>  
40-120 knots over 110 ft.<sup>2</sup>

Rotatability: 360° to cover  
6 test pads





# Gas Generator T&E History at China Lake



Testing Program:  
F/A-18 Dry Bay Simulator

Dates: April - June 1993


Program Sponsor(s):  
Navy, F/A-18

Technical Support:  
Northrop,  
McDonnell-Douglas,  
Olin

Significance:  
First demonstration of gas  
generator (Olin) effectiveness  
in real-scale scenario sim.

Test Conditions:

Real-scale F/A-18 dry bay simulator with fuel cell  
and clutter, HIVAS 450-500 knots,  
Halon 1301 and FM-200 baselines,  
Ballistic ignition (small arms, 12.7 - 30 mm),  
Olin gas generator hardware





# Gas Generator T&E History at China Lake



Testing Program:  
V-22 Wing Dry Bay  
Simulator

Dates: Dec. - Jan. 1994


∞  
Program Sponsor(s):  
Navy, V-22 (CDR Curtis)

Technical Support:  
Bell-Boeing, Olin

Significance:  
Active suppression needed  
and demonstration of gas  
generator (Olin) effectiveness  
in real-scale simul. scenario

Test Conditions:

Real-scale V-22 wing dry bay simulators (3) with  
fuel cell and clutter, HIVAS 250 knots,  
Halon 1301 and FM-200 (RFE) baselines,  
Ballistic ignition, Olin gas generator hardware







# Gas Generator T&E History at China Lake



Testing Program:  
F/A-18 Engine Nacelle  
Simulator

Dates: Aug. - Nov. 1994


Program Sponsor(s):  
Navy, F/A-18  
NAVAIR (Mr. Homan)

Technical Support:  
Northrop, McDonnell-  
Douglas, Olin

Significance:  
Demonstration of gas  
generator (Olin) effectiveness  
in real-scale scenario sim.

Test Conditions:

Real-scale F/A-18 engine nacelle simulator with clutter and air flow, Halon 1301 baseline, spark ignition and ballistic ignition wrap-up, Olin gas generator hardware (manifolded, unfiltered)







# Future Gas Generator T&E at China Lake



## ◆ F/A-18 E/F Fuselage Dry Bay Fire Suppression Test, FY95

Sponsor: Navy (CPT Dyer)

Tech. Support: Northrop, McDonnell-Douglas, Olin

- ◆ Real-scale E/F modified C/D model aircraft
- ◆ Proof of concept for gas generators with ballistic ignition
- ◆ Airflow (HIVAS) 450-500 knots

## ◆ V-22 Midwing Gearbox Fire Suppression Test, FY96

Sponsor: Navy (CDR Curtis)

Tech. Support: Bell-Boeing, Olin

- ◆ Real-scale V-22 structure
- ◆ Proof of concept for gas generators
- ◆ Airflow (HIVAS) 250 knots

## ◆ AV-8B Dry Bay and Aft Wheelwell Fire Suppression Test



# Fire Protection RDT&E Future Efforts



---

## Continue Support of NAVAIR and NAVSEA Programs through:

- ◆ Weapons Survivability Laboratory
- ◆ Fire Research Office (Les Bowman)
- ◆ Fire S&T Networks Panel (multi-competency)

88

## Continue Team Building Efforts through S&T Networks to address:

- ◆ DDR&E's Next Generation Plan BAA (SERDP type proposal)
- ◆ Market ILIR discretionary support for "Superagents" research
- ◆ Market support for scale-up and loading of FSGG formulations
- ◆ Unclassified/unlimited dist. information services via Internet (WWW, etc.)

**Rapid, Low-cost, Total Quality Response to DoD Needs**